L Number	Hits	Search Text	DB	Time stamp
-	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2002/11/13 13:25
1		business AND machine\$1).as.	EPO; JPO;	
			DERWENT;	
		1	IBM TDB	
<u>-</u>	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
	"	\databassy	EPO; JPO;	2002/11/11 17.17
	Ì		DERWENT;	
				,
	60	//databaseff NEAD1 acabaff1\ AND 707/ft acla \ NOT	IBM_TDB	0000/44/44 47:47
-	00	((database\$1 NEAR1 cache\$1) AND 707/\$.ccis.) NOT	USPAT;	2002/11/11 17:17
	İ	((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	
	!	business AND machine\$1).as.)	DERWENT;	
	200	deteless of NEADA souls of	IBM_TDB	00004444447:04
-	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17:34
			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	("5355497" "5367671" "5799318" "5907837"	USPAT	2002/11/11 17:28
		"5978791").PN.		
-	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
	"	cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	2002/11/11 17:04
		Cachemati)) AND hetworks AND remotes 2	DERWENT;	
			IBM_TDB	
	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
_	22373	Cache.ti,ab.		2002/11/11 17.54
1			EPO; JPO;	
	ļ		DERWENT;	
j	074	AAID	IBM_TDB	00004444444
-	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
		machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
		machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	151	cache.ti,ab. AND (microsoft\$1).as.	USPAT;	2002/11/11 17:57
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	2	6356863.pn.	USPAT;	2002/11/12 16:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB]
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
		•	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
[EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
	''	(The state of the the system of AND managers	EPO; JPO;	2002/11/12 10:04
			DERWENT;	
			IBM_TDB	
L	L		םטו וואיםו	L

-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed!	USPAT; EPO; JPO; DERWENT;	2002/11/12 16:54
			IBM TDB	
_	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
_	"	AND distributed!) AND network\$1	EPO; JPO;	2002/11/12 10.5/
		7 HO GIOGRADA HOLIVOTRO	DERWENT;	
			IBM_TDB	
-	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 17:08
		AND distributed!) AND network\$1) AND (load\$3 NEAR2	EPO; JPO;	
		balanc\$3)	DERWENT;	
			IBM_TDB	
-	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
-	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
			EPO; JPO;	
			DERWENT;	•
1_	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	IBM_TDB USPAT;	2002/11/12 17:16
	200	((Villadi NEANZ liles) NEANA 333611191) AND Illahage95	EPO; JPO;	2002/11/12 17.10
			DERWENT;	
			IBM_TDB	
_	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT;	2002/11/12 18:28
		AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	6081883.uref.	USPAT;	2002/11/12 18:22
	1		EPO; JPO;	
			DERWENT;	
	13	/"5163131" "5355453" "5537595" "5564900" "5903366"	IBM_TDB	2002/14/42 40:04
ļ -	13	("5163131" "5355453" "5537585" "5561809" "5802366" "5848293" "5864554" "5915094" "5933603" "5995708"	USPAT	2002/11/12 18:24
		"6081883" "6119150" "6275953").PN.		
_	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:27
		((*************************************	EPO; JPO;	2002/11/12 10:21
			DERWENT;	
			IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND	USPAT;	2002/11/12 18:28
	,	(load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
_	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	IBM_TDB	2002/11/12 18:51
-	0104	database\$1)	USPAT;	2002/11/12 18:51
		- ασιαράσοψ ι <i>j</i>	EPO; JPO; DERWENT;	
			IBM_TDB	
-	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:52
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
		system\$1) OR database\$1))	DERWENT;	
	_	// !!	IBM_TDB	
-	5	((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:54
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
		system\$1) OR database\$1))) AND (virtual NEAR3 file\$1)	DERWENT;	
_	1737	(virtual NEAR3 file\$1)	IBM_TDB USPAT;	2002/11/12 10:54
	''''	(VIII. CALLAITO III.C. III.	EPO; JPO;	2002/11/12 18:54
			DERWENT;	
			IBM TDB	
-	1009	((virtual NEAR3 file\$1)) AND manage\$5	USPAT;	2002/11/12 18:55
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
			DERWENT;	
		/// 14 14 14 14 14 14 14 14 14 14 14 14 14	IBM_TDB	
-	539	(((virtual NEAR3 file\$1)) AND manage\$5) AND (distribut\$4)	USPAT;	2002/11/12 18:55
			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	52	((((virtual NEAR3 file\$1)) AND manage\$5) AND	USPAT;	2002/11/12 20:04
		(distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
-	14424	load\$3 NEAR2 balanc\$3	USPAT;	2002/11/12 19:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	USPAT;	2002/11/12 19:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	476	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
		NEAR2 process\$3)	EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
-	118	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
		NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR	EPO; JPO;	
1		database\$1))	DERWENT;	1
1			IBM_TDB	
-	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
	ł	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND	USPAT;	2002/11/12 20:08
		(virtual NEAR2 file\$1)	EPO; JPO;	
		, ,	DERWENT,	
İ			IBM_TDB	
-	45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:18
		distribu\$4))	EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	
 -	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)	USPAT;	2002/11/12 20:18
		NEAR10 (client\$1 OR user\$1))	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT	
			IBM_TDB	
-	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND bypass\$3	EPO; JPO;	
		···	DERWENT;	
			IBM_TDB	
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1) AND bypass\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6324581.pn. AND mover\$1	USPAT;	2002/11/13 13:29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
		•	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT;	2002/11/13 13:28
i		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	·			

-	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT; EPO; JPO;	2002/11/13 13:31
			DERWENT;	
			IBM_TDB	
-	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	USPAT;	2002/11/13 15:20
		(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:56
	1	cast\$3))	EPO; JPO;	
			DERWENT;	
	١ .	// State INTARA SLOAD AND AND AND AND AND AND AND AND AND A	IBM_TDB	
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:53
		cast\$3))) AND (parralel NEAR4 process\$4)	EPO; JPO;	
	}		DERWENT;	
_	16	//virtual NEAD4 file\$1) AND (multipopt®2 OD (multipopt®2)	IBM_TDB	2002/44/42 40:54
-	10	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parallel NEAR4 process\$4)	USPAT;	2002/11/13 13:54
]	cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO;	
	1		DERWENT; IBM_TDB	
_	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT;	2002/11/13 13:57
	002	((a.daadaa ar (maid / bar castaa)) (ventra protocolar)	EPO; JPO;	2002/11/13 13.3/
			DERWENT;	
			IBM TDB	
_	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	USPAT;	2002/11/13 13:57
		((EPO; JPO;	2002/11/10 10:07
			DERWENT;	
-			IBM_TDB	
-	37	(((USPAT;	2002/11/13 13:58
		AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
	1	C204504 AND //	IBM_TDB	
-	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10	USPAT;	2002/11/13 14:08
		exchang\$3)	EPO; JPO;	
			DERWENT;	
_	1	6324581.pn. AND cach\$3	IBM_TDB USPAT;	2002/11/12 15:02
	'	OOL 100 1.pm. AND Cachyo	i	2002/11/13 15:23
			DERWENT;	
			IBM TDB	
-	1	6081883.pn. AND cach\$3	USPAT;	2002/11/13 15:29
		•	EPO; JPO;	-/
			DERWENT;	
			IBM_TDB	
-	2	5948062.pn. AND load\$3	USPAT;	2002/11/13 15:33
			EPO; JPO;	
			DERWENT;	
		0450000	IBM_TDB	
-	1	6453323.pn.	USPAT;	2002/11/13 16:16
]		EPO; JPO;	
			DERWENT;	
_	8	/"5460560" } "5602455" "5750400" "5760600" "5040040"	IBM_TDB	2000/44/40 45 50
-		("5469560" "5692155" "5758190" "5768620" "5813042" "5968182" "6088815" "6304980").PN.	USPAT	2002/11/13 15:56
-	0	6304980.pn. AND geographical\$2	USPAT;	2002/11/13 16:17
		goograpinodiyz	EPO; JPO;	2002/11/13 10.1/
			DERWENT;	
			IBM_TDB	
			·	

-	2	6442548.pn.	USPAT;	2002/11/13 16:38
			EPO; JPO;	
			DERWENT;	
	2	5937406.pn.	IBM_TDB	0000/44/44 47/20
-	4	5957400.pn.	USPAT;	2002/11/14 17:38
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	0	5937406.pn. AND cach\$3	USPAT;	2002/11/13 18:00
		0001 100.pn. 71142 0001140	EPO; JPO;	2002/11/13 18:00
			DERWENT;	
			IBM_TDB	
-	1	5937406.pn. AND memor\$3	USPAT;	2002/11/13 18:01
İ			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	0	6304967.pn. AND translat\$4	USPAT;	2002/11/14 10:50
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	6081883.uref.	USPAT;	2002/11/14 11:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6081883.uref. AND translat\$4	USPAT;	2002/11/14 10:52
	ļ		EPO; JPO;	
			DERWENT;	
	1	(854004048) 850554508 855075058 855040008 85000008	IBM_TDB	000044444444
_	13	("5163131" "5355453" "5537585" "5561809" "5802366"	USPAT	2002/11/14 11:15
		"5848293" "5864554" "5915094" "5933603" "5995708" "6081883" "6119150" "6275953").PN.		
1_	172	(front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3	USPAT;	2002/11/14 11:36
-	1/2	AND (file\$1 NEAR2 server\$1)	EPO; JPO;	2002/11/14 11.30
		(IIICOT NEARZ SCIVEROT)	DERWENT;	
	ŀ		IBM_TDB	
_	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3	USPAT;	2002/11/14 11:18
		AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	EPO; JPO;	
		((DERWENT;	
1			IBM_TDB	
-	108	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:19
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND remot\$2	DERWENT;	
1			IBM_TDB	
-	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:37
1	:	network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
		OR storage\$1))	IBM_TDB	00004444
-	38	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	USPAT;	2002/11/14 11:20
		network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	
		AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	DERWENT;	
1_	12	OR storage\$1))) AND parallel ((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND	IBM_TDB USPAT;	2002/11/14 14:26
_	'2	network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4))	EPO; JPO;	2002/11/14 11:36
ł	-	AND (remot\$2 NEAR4 (site\$1 OR server\$1) AND (distribut\$4))	DERWENT;	
-		OR storage\$1))) NOT (((((front ADJ1 end\$1) AND (back	IBM_TDB	
		ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	.51.00	
		AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR		
		server\$1 OR database\$1 OR storage\$1))) AND parallel)		
-	1105	multi ADJ1 tier\$1	USPAT;	2002/11/14 11:36
			EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	

-	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	USPAT; EPO; JPO;	2002/11/14 11:36
		(DERWENT;	
-	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	IBM_TDB USPAT;	2002/11/14 11:37
		storage\$1))	EPO; JPO;	
			DERWENT; IBM_TDB	
-	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:38
		storage\$1))) AND (multi ADJ1 tier\$1)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	1	5692155.pn. AND kilometer\$1	USPAT;	2002/11/14 12:25
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	5692155.pn. AND search\$3	USPAT;	2002/11/14 12:25
			EPO; JPO; DERWENT;	
			IBM_TDB	
=	0	5692155.pn. AND mapping	USPAT;	2002/11/14 12:26
			EPO; JPO; DERWENT;	
		5000455	IBM_TDB	
-	22	5692155.uref.	USPAT; EPO; JPO;	2002/11/14 17:47
			DERWENT;	
_	17	5692155.uref. AND address\$2	IBM_TDB	2002/14/14 17:52
-	''	3092 133. urer. AND address\$2	USPAT; EPO; JPO;	2002/11/14 17:52
			DERWENT;	
_	48	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	IBM_TDB USPAT;	2002/11/14 17:53
		(*************************************	EPO; JPO;	2002///////////
			DERWENT; IBM_TDB	
_	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:03
		AND backup	EPO; JPO;	
			DERWENT; IBM_TDB	
-	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:23
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2 address\$2))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)) AND backup) AND (differen\$3 NEAR10 (ip NEAR2	USPAT; EPO; JPO;	2002/11/14 18:21
		address\$2))) AND search\$3	DERWENT;	
_	12223	search\$3 NEAR10 (backup OR second\$3)	IBM_TDB USPAT;	2002/11/14 18:23
	12220	Sociones NEALLO (Backup OIL Secondes)	EPO; JPO;	2002/11/14 10.23
			DERWENT;	
_	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	IBM_TDB USPAT;	2002/11/14 18:24
		second\$3)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 19:26
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR (second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	USPAT;	2002/11/14 18:26
		(Secondas NEARZ (Storages) OR devices ()))) AND ID	EPO; JPO; DERWENT;	
			IBM_TDB	

-	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	USPAT; EPO; JPO;	2002/11/14 18:29
	101		DERWENT; IBM_TDB	
-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR (second\$3 NEAR2 (storage\$1 OR device\$1)))	USPAT; EPO; JPO;	2002/11/14 18:39
			DERWENT; IBM_TDB	
-	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	USPAT; EPO; JPO;	2002/11/14 18:47
			DERWENT; IBM_TDB	
-	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	USPAT; EPO; JPO;	2002/11/14 18:40
			DERWENT; IBM_TDB	
-	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3)	USPAT; EPO; JPO;	2002/11/14 19:16
		request#3)	DERWENT;	
-	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4	IBM_TDB USPAT;	2002/11/14 19:16
		request\$3)	EPO; JPO; DERWENT;	
-	83	4914571.uref.	IBM_TDB USPAT;	2002/11/14 19:10
			EPO; JPO; DERWENT;	
-	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	IBM_TDB USPAT;	2002/11/14 19:10
			EPO; JPO; DERWENT;	
-	2	5729736.uref.	IBM_TDB USPAT;	2002/11/14 19:15
			EPO; JPO; DERWENT;	
-	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	IBM_TDB USPAT;	2002/11/14 19:16
		request\$3 OR quer\$3)	EPO; JPO; DERWENT;	
-	668	 (multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	IBM_TDB USPAT;	2002/11/14 19:21
	- - -		EPO; JPO; DERWENT;	
_	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	IBM_TDB USPAT;	2002/11/14 19:17
		AND 707/\$.ccls.	EPO; JPO; DERWENT;	
_	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 20:14
		quer\$3)).ti,ab.	EPO; JPO; DERWENT;	
_	5	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 19:22
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 file\$1).ti,ab.	EPO; JPO; DERWENT;	
-	51	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND distributed	EPO; JPO; DERWENT;	
_	7	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	EPO; JPO; DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	

11/14 19:29 11/14 19:42	JSPAT 2002	9310" "5832522"	("5390313" "5463578" '	5	-
11/14 19:42		'	"5892914").PN.		
	PO; JPO; ERWENT;	\$3 OR request\$3 OR quer\$3)) R request\$3) NEAR4		95	-
11/14 19:46	PO; JPO; DERWENT;		((search\$3 OR quer\$4 OF NEAR20 ((search\$3 OR of (database\$1 OR storage\$	155	-
11/14 19:47	PO; JPO; DERWENT;			6	-
11/14 20:01	BM_TDB JSPAT; 2002 PO; JPO; DERWENT;		over)) 4914571.uref.	83	-
11/14 20:14	PO; JPO;		5729736.pn. AND multica	0	-
11/14 20:14	BM_TDB JSPAT; 2002 PO; JPO;	3	5729736.uref. AND multic	0	-
11/14 20:16	BM_TDB JSPAT; 2002 PO; JPO;	\$3 OR request\$3 OR quer\$3)) age\$1)	((multicast\$3) NEAR8 (se NEAR10 (database\$1 OR	29	-
11/14 20:18	BM_TDB JSPAT; 2002 PO; JPO;	cast\$3)) NEAR8 (search\$3 OR 10 (database\$1 OR storage\$1)		30	-
11/14 20:21	BM_TDB	cast\$3)) NEAR8 (search\$3 OR 20 ((multicast\$3 OR (multicast\$3 OR (multicase\$1 OR storage\$1))	((multicast\$3 OR (multi A request\$3 OR quer\$3)) NI ADJ1 cast\$3)) NEAR10 (d	22	-
11/14 20:25	PO; JPO; ERWENT;		(search\$3 OR quer\$4 OR NEAR10 (multicast\$3 OR	23	-
11/14 21:37	JSPAT; 2002/ PO; JPO; DERWENT;	uest\$3) NEAR10 (database\$1 icast\$3 OR (multi ADJ1	(search\$3 OR quer\$4 OR OR storage\$1) NEAR10 (cast\$3))	28	-
11/14 20:29	ISPAT; 2002/ IPO; JPO; DERWENT;	quest\$3) AND (database\$1 OR OR (multi ADJ1 cast\$3))).ti,ab.)	(((search\$3 OR quer\$4 O storage\$1) AND (multicas AND file\$1.ti,ab.	6	-
11/14 20:30	SPAT; 2002/ PO; JPO; ERWENT;	uest\$3) AND (database\$1 OR OR (multi ADJ1 cast\$3))).ti,ab.		67	-
11/14 21:05	SPAT; 2002/ PO; JPO; ERWENT;	0 different NEAR10 subnet	(ip NEAR2 address\$2) NE	10	-
11/14 21:19	SPAT; 2002/ PO; JPO; ERWENT;		5870537.pn. AND location	1	-
1 1 1 1	DERWENT; BM_TDB JSPAT; PO; JPO; DERWENT; D	\$3 OR request\$3 OR quer\$3)) rage\$1) cast\$3)) NEAR8 (search\$3 OR 10 (database\$1 OR storage\$1) cast\$3)) NEAR8 (search\$3 OR 20 ((multicast\$3 OR (multi base\$1 OR storage\$1)) rest\$3) NEAR10 file\$1 lti ADJ1 cast\$3)) rest\$3) NEAR10 (database\$1 ricast\$3 OR (multi ADJ1 rquest\$3) AND (database\$1 OR OR (multi ADJ1 cast\$3))).ti,ab.) ruest\$3) AND (database\$1 OR OR (multi ADJ1 cast\$3))).ti,ab.)	((multicast\$3) NEAR8 (se NEAR10 (database\$1 OR ((multicast\$3 OR (multi A request\$3 OR quer\$3)) NI ((multicast\$3 OR quer\$3)) NI ADJ1 cast\$3)) NEAR10 (csearch\$3 OR quer\$4 OR NEAR10 (multicast\$3 OR quer\$4 OR OR storage\$1) NEAR10 (cast\$3)) (((search\$3 OR quer\$4 OR OR storage\$1) AND (multicast\$1) AND (mu	29 30 22 23 28 6	

-	2	5870537.pn. AND address\$2	USPAT;	2002/11/14 21:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	("6256673" "5506984" "5870537" "5692155").pn. AND (point	USPAT;	2002/11/15 14:07
1		NEAR8 protocol)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point NEAR4 protocol)	EPO; JPO;	
1			DERWENT;	
	i _		IBM_TDB	
-	3	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	